



Trading Symbol
AIM: AYM

19th January 2024

Anglesey Mining plc
("Anglesey" or "the Company")

Parys Mountain drilling returns strong assays including 22.0m at 3.7% CuEq

Anglesey Mining plc (AIM:AYM), is pleased to announce that the assay results have been received from the recently completed drill hole NCZ001. Drill hole NCZ001 is the first hole from the infill drilling program of the Northern Copper and Garth Daniel Zones at the Company's Parys Mountain Cu-Zn-Pb-Ag-Au VMS project on the Isle of Anglesey in North West Wales.

Drill hole NCZ001 was designed to provide a repeat of the historical drill hole H34, drilled in the early 1970's, which intersected three mineralised zones that bulked out to 146 metres at 1.2% copper equivalent (CuEq). Due to the deviation of NCZ001, the intersection encountered is estimated to be approximately 75 metres up-dip from the H34 intersection and provides a valuable infill pierce point.

Garth Daniel Zone – Hole NCZ001

- **22.0m @ 2.3% Cu, 2.8% Zn, 1.3% Pb, 5.0g/t Ag and 0.03g/t Au (3.7% CuEq / 9.2% ZnEq)** from a depth of 559m, including
 - **4.0m @ 5.2% Cu, 5.0g/t Ag and 0.03g/t Au (4.9% CuEq)** from 569m; and,
 - **6.0m @ 2.5% Cu, 9.9% Zn, 4.7% Pb, 10g/t Ag and 0.1g/t Au (6.1% CuEq / 17.4% ZnEq)** from 575m

Northern Copper Zone – Hole NCZ001

Significant intersections include:

- **11.0m @ 0.6% Cu, 1.4% Zn, 0.5% Pb, 9.0g/t Ag and 0.4g/t Au (1.3% CuEq / 3.6% ZnEq)** from a depth of 503m including
 - **4.0m at 1.1% Cu, 2.7% Zn, 1.0% Pb, 16g/t Ag and 0.7g/t Au (2.4% CuEq / 6.9% ZnEq)** from 510m
- **63.0m @ 0.6% Cu, 0.06% Zn, 0.03% Pb, 3g/t Ag and 0.2g/t Au (0.7% CuEq)** from a depth of 362m including
 - **16.0m @ 0.9% Cu, 0.05% Zn, 0.02% Pb, 3g/t Ag and 0.2g/t Au (1.0% CuEq)** from 382m
 - **7.0m @ 1.3% Cu, 0.11% Zn, 0.05% Pb, 5.5g/t Ag and 0.2g/t Au (1.3% CuEq)** from 404m
- **13.0m @ 0.5% Cu, 0.05% Zn, 0.01% Pb, 2g/t Ag and 0.1g/t Au (0.5% CuEq)** from a depth of 455m

CuEq and ZnEq grades are based on recovery factors and commodity prices as detailed on page 9 of this release

Andrew King, Interim Chairman of Anglesey Mining, commented: "We are very encouraged by the broad widths encountered across both the Garth Daniel and Northern Copper Zones in NCZ001. In particular, we are excited to see the significant intersection within the Garth Daniel Zone. The 22-metre intersection grading 3.7% copper equivalent we believe continues to demonstrate the prospectivity of the Parys Mountain mineralised system."

“Infill drilling of these mineralised zones will play a crucial role in the development studies for Parys Mountain. The primary target for this program is to provide additional pierce points to enable the current Inferred resources to be upgraded to the Indicated category. The second drill hole, NCZ002, is currently at a depth of around 360 metres with the Northern Copper Zone target estimated to commence at a downhole depth of around 420 metres”.

Drill hole details

Hole ID	Co-ordinates		Elevation (m)	Azimuth (°)	Dip (°)	End of Hole (m)
	(E)	(N)				
NCZ001	244008	390981	78.3	165	-75	635

Reported Assays (results >0.5 CuEq in bold)

Hole Number	From To		Sample Length (m)	Assays					
	(m)	(m)		Cu (%)	Zn (%)	Pb (%)	Ag (g/t)	Au (g/tt)	CuEq (%)*
NCZ001	77.5	78	0.50	0.27	0.19	0.16	3.3	<0.005	0.36%
NCZ001	83.4	83.9	0.50	0.03	0.01	0.00	<0.5	<0.005	0.03%
NCZ001	98.6	99.1	0.50	0.08	0.01	0.00	<0.5	<0.005	0.08%
NCZ001	99.1	99.6	0.50	0.02	0.01	0.00	<0.5	<0.005	0.02%
NCZ001	99.6	100.1	0.50	0.02	0.00	0.00	<0.5	<0.005	0.02%
NCZ001	100.1	100.6	0.50	0.02	0.01	0.00	<0.5	<0.005	0.02%
NCZ001	100.6	101.1	0.50	0.03	0.00	0.00	<0.5	<0.005	0.03%
NCZ001	101.1	101.6	0.50	0.56	0.22	0.13	9.6	<0.005	0.66%
NCZ001	101.6	102	0.40	0.12	0.32	0.06	2.9	<0.005	0.23%
NCZ001	102	102.5	0.50	0.02	0.02	0.05	<0.50	<0.005	0.03%
NCZ001	102.5	103	0.50	0.32	0.02	0.03	3.4	<0.005	0.33%
NCZ001	131	131.5	0.50	0.02	0.01	0.00	<0.5	<0.005	0.02%
NCZ001	132.5	133	0.50	0.00	0.01	0.00	<0.5	<0.005	0.01%
NCZ001	139	139.5	0.50	0.01	0.02	0.01	<0.5	<0.005	0.01%
NCZ001	243.65	244.15	0.50	0.00	0.27	0.05	<0.5	<0.005	0.09%
NCZ001	267.8	268.3	0.50	0.01	0.70	0.07	<0.5	<0.005	0.22%
NCZ001	303.9	304.4	0.50	0.01	0.03	0.01	1.2	<0.005	0.03%
NCZ001	304.4	304.9	0.50	0.00	0.01	0.00	<0.5	<0.005	0.01%
NCZ001	304.9	305.4	0.50	0.07	0.01	0.00	1.0	<0.005	0.08%
NCZ001	305.4	305.9	0.50	0.01	0.01	0.00	<0.5	<0.005	0.01%
NCZ001	305.9	306.4	0.50	0.00	0.01	0.00	<0.5	<0.005	0.00%
NCZ001	318.45	318.95	0.50	0.00	0.00	0.00	<0.5	<0.005	0.00%
NCZ001	327.15	327.65	0.50	0.01	0.59	0.02	<0.5	<0.005	0.18%
NCZ001	351	352	1.00	0.00	0.00	0.00	<0.5	<0.005	0.00%
NCZ001	352	353	1.00	0.00	0.00	0.00	<0.5	<0.005	0.00%
NCZ001	353	354	1.00	0.00	0.00	0.00	<0.5	<0.005	0.00%
NCZ001	354	355	1.00	0.02	0.00	0.00	<0.5	<0.005	0.02%
NCZ001	355	356	1.00	0.01	0.00	0.00	<0.5	0.01	0.01%
NCZ001	356	357	1.00	0.00	0.00	0.00	<0.5	<0.005	0.00%
NCZ001	357	358	1.00	0.00	0.00	0.00	<0.5	<0.005	0.00%
NCZ001	358	359	1.00	0.00	0.00	0.00	<0.5	<0.005	0.00%
NCZ001	359	360	1.00	0.03	0.01	0.00	<0.5	0.02	0.04%
NCZ001	360	361	1.00	0.00	0.01	0.00	<0.5	<0.005	0.00%
NCZ001	361	362	1.00	0.27	0.01	0.00	<0.5	0.025	0.26%
NCZ001	362	363	1.00	0.98	0.01	0.01	1.7	0.223	1.02%
NCZ001	363	364	1.00	0.49	0.00	0.01	0.9	0.142	0.52%
NCZ001	364	365	1.00	1.04	0.00	0.04	6.5	0.119	1.06%
NCZ001	365	366	1.00	1.38	0.00	0.01	3.1	0.621	1.56%

NCZ001	366	367	1.00	0.15	0.02	0.00	<0.5	0.03	0.15%
NCZ001	367	368	1.00	0.35	0.01	0.00	0.8	0.068	0.36%
NCZ001	368	369	1.00	0.78	0.03	0.01	1.7	0.31	0.87%
NCZ001	369	370	1.00	0.57	0.01	0.00	0.8	0.23	0.63%
NCZ001	370	371	1.00	0.16	0.01	0.00	<0.5	0.024	0.16%
NCZ001	371	372	1.00	0.15	0.01	0.01	<0.5	0.024	0.16%
NCZ001	372	373	1.00	0.11	0.01	0.00	<0.5	0.127	0.16%
NCZ001	373	374	1.00	0.56	0.00	0.01	1.5	0.464	0.73%
NCZ001	374	375	1.00	0.45	0.01	0.01	1.6	0.22	0.52%
NCZ001	375	376	1.00	0.40	0.01	0.01	1.2	0.376	0.54%
NCZ001	376	377	1.00	0.59	0.02	0.01	1.5	0.221	0.65%
NCZ001	377	378	1.00	0.12	0.01	0.00	<0.5	0.031	0.12%
NCZ001	378	379	1.00	0.08	0.00	0.00	0.7	0.048	0.10%
NCZ001	379	380	1.00	1.58	0.02	0.03	5.6	1.19	1.99%
NCZ001	380	381	1.00	0.09	0.01	0.01	0.5	0.115	0.14%
NCZ001	381	382	1.00	0.03	0.03	0.00	<0.5	0.051	0.06%
NCZ001	382	383	1.00	0.73	0.08	0.02	1.9	0.219	0.81%
NCZ001	383	384	1.00	0.95	0.04	0.05	4.3	0.953	1.31%
NCZ001	384	385	1.00	2.01	0.02	0.02	3.4	0.04	1.91%
NCZ001	385	386	1.00	0.31	0.03	0.01	0.8	0.037	0.32%
NCZ001	386	387	1.00	0.75	0.11	0.03	1.6	0.056	0.76%
NCZ001	387	388	1.00	0.06	0.02	0.00	0.5	0.01	0.07%
NCZ001	388	389	1.00	0.84	0.04	0.01	1.5	0.04	0.82%
NCZ001	389	390	1.00	1.14	0.03	0.02	3.3	0.159	1.15%
NCZ001	390	391	1.00	0.21	0.04	0.01	1.1	0.07	0.24%
NCZ001	391	392	1.00	0.94	0.02	0.01	2.6	0.094	0.94%
NCZ001	392	393	1.00	1.76	0.03	0.04	9.6	0.419	1.88%
NCZ001	393	394	1.00	0.85	0.04	0.01	2.6	0.115	0.86%
NCZ001	394	395	1.00	1.45	0.26	0.04	4.2	0.127	1.51%
NCZ001	395	396	1.00	1.07	0.02	0.01	2.6	0.137	1.07%
NCZ001	396	397	1.00	0.17	0.01	0.02	2.3	0.124	0.23%
NCZ001	397	398	1.00	0.60	0.01	0.00	1.3	0.088	0.61%
NCZ001	398	399	1.00	0.14	0.01	0.00	1.8	0.132	0.19%
NCZ001	399	400	1.00	0.13	0.62	0.23	3.6	0.232	0.46%
NCZ001	400	401	1.00	0.20	0.07	0.03	2.9	0.133	0.28%
NCZ001	401	402	1.00	0.28	0.02	0.03	3.5	0.157	0.36%
NCZ001	402	403	1.00	0.19	0.04	0.09	3.4	0.099	0.27%
NCZ001	403	404	1.00	0.07	0.02	0.02	2.1	0.235	0.19%
NCZ001	404	405	1.00	0.66	0.06	0.04	3.2	0.31	0.78%
NCZ001	405	406	1.00	1.73	0.01	0.01	4.0	0.305	1.76%
NCZ001	406	407	1.00	1.80	0.01	0.04	5.8	0.052	1.74%
NCZ001	407	408	1.00	0.97	0.01	0.01	1.9	0.057	0.94%
NCZ001	408	409	1.00	1.35	0.37	0.16	8.7	0.226	1.53%
NCZ001	409	410	1.00	1.53	0.02	0.04	7.3	0.142	1.54%
NCZ001	410	411	1.00	0.98	0.30	0.08	7.4	0.255	1.16%
NCZ001	411	412	1.00	0.20	0.13	0.07	2.9	0.101	0.30%
NCZ001	412	413	1.00	0.45	0.40	0.10	4.0	0.192	0.65%
NCZ001	413	414	1.00	0.10	0.04	0.02	1.7	0.139	0.17%
NCZ001	414	415	1.00	0.21	0.02	0.02	2.6	0.113	0.27%

NCZ001	415	416	1.00	0.26	0.25	0.07	2.8	0.092	0.38%
NCZ001	416	417	1.00	0.33	0.03	0.01	1.1	0.005	0.33%
NCZ001	417	418	1.00	0.67	0.04	0.01	2.5	0.014	0.66%
NCZ001	418	419	1.00	0.60	0.03	0.01	2.2	0.013	0.58%
NCZ001	419	420	1.00	0.52	0.16	0.03	2.7	0.031	0.56%
NCZ001	420	421	1.00	0.38	0.06	0.02	2.9	0.019	0.40%
NCZ001	421	422	1.00	0.20	0.03	0.01	1.5	0.012	0.21%
NCZ001	422	423	1.00	0.46	0.06	0.01	2.2	0.011	0.46%
NCZ001	423	424	1.00	0.28	0.04	0.01	1.8	0.022	0.29%
NCZ001	424	425	1.00	0.52	0.04	0.01	2.2	0.044	0.53%
NCZ001	425	426	1.00	0.01	0.01	0.01	<0.5	<0.005	0.01%
NCZ001	426	427	1.00	0.01	0.01	0.01	<0.5	<0.005	0.02%
NCZ001	427	428	1.00	0.03	0.05	0.01	0.5	0.007	0.05%
NCZ001	428	429	1.00	0.32	0.04	0.01	1.4	0.019	0.33%
NCZ001	429	430	1.00	0.06	0.01	0.00	<0.5	0.007	0.06%
NCZ001	430	431	1.00	0.01	0.01	0.00	<0.5	<0.005	0.02%
NCZ001	431	432	1.00	0.01	0.03	0.00	<0.5	<0.005	0.02%
NCZ001	432	433	1.00	0.65	0.03	0.01	1.5	0.012	0.63%
NCZ001	433	434	1.00	0.08	0.01	0.00	<0.5	0.005	0.08%
NCZ001	434	435	1.00	0.04	0.01	0.00	<0.5	0.007	0.04%
NCZ001	435	436	1.00	0.00	0.02	0.00	<0.5	<0.005	0.01%
NCZ001	436	437	1.00	0.00	0.01	0.00	<0.5	<0.005	0.01%
NCZ001	437	438	1.00	0.01	0.01	0.00	<0.5	<0.005	0.01%
NCZ001	438	439	1.00	0.00	0.01	0.00	<0.5	0.007	0.01%
NCZ001	439	440	1.00	0.03	0.06	0.00	1.0	0.005	0.05%
NCZ001	440	441	1.00	0.00	0.05	0.02	<0.5	0.007	0.02%
NCZ001	441	442	1.00	0.00	0.01	0.00	<0.5	<0.005	0.00%
NCZ001	442	443	1.00	0.01	0.02	0.00	<0.5	<0.005	0.02%
NCZ001	443	444	1.00	0.00	0.03	0.00	<0.5	0.005	0.01%
NCZ001	444	445	1.00	0.04	0.04	0.01	0.7	0.031	0.07%
NCZ001	445	446	1.00	0.23	0.07	0.03	2.6	0.061	0.28%
NCZ001	446	447	1.00	0.15	0.17	0.17	4.7	0.112	0.29%
NCZ001	447	448	1.00	0.32	0.33	0.15	3.9	0.179	0.52%
NCZ001	448	449	1.00	0.00	0.02	0.00	<0.5	<0.005	0.01%
NCZ001	449	450	1.00	0.08	0.03	0.00	<0.5	<0.005	0.09%
NCZ001	450	451	1.00	0.00	0.01	0.00	<0.5	<0.005	0.00%
NCZ001	451	452	1.00	0.18	0.01	0.00	<0.5	<0.005	0.17%
NCZ001	452	453	1.00	0.10	0.02	0.00	<0.5	0.007	0.10%
NCZ001	453	454	1.00	0.19	0.05	0.01	0.9	0.048	0.22%
NCZ001	454	455	1.00	0.02	0.07	0.00	0.5	0.043	0.06%
NCZ001	455	456	1.00	0.55	0.06	0.01	2.3	0.077	0.57%
NCZ001	456	457	1.00	0.35	0.02	0.00	0.9	0.028	0.35%
NCZ001	457	458	1.00	0.75	0.02	0.01	1.7	0.02	0.72%
NCZ001	458	459	1.00	0.18	0.05	0.02	2.3	0.067	0.23%
NCZ001	459	460	1.00	0.06	0.02	0.01	1.9	0.077	0.11%
NCZ001	460	461	1.00	0.13	0.02	0.00	0.9	0.063	0.16%
NCZ001	461	462	1.00	0.50	0.04	0.02	3.9	0.224	0.59%
NCZ001	462	463	1.00	0.47	0.03	0.02	3.0	0.173	0.54%
NCZ001	463	464	1.00	0.17	0.02	0.01	2.1	0.163	0.25%

NCZ001	464	465	1.00	0.86	0.02	0.02	3.8	0.218	0.92%
NCZ001	465	466	1.00	0.70	0.07	0.02	3.0	0.126	0.74%
NCZ001	466	467	1.00	0.71	0.19	0.02	2.3	0.103	0.78%
NCZ001	467	468	1.00	0.55	0.06	0.02	1.9	0.065	0.57%
NCZ001	468	469	1.00	0.20	0.07	0.02	2.5	0.125	0.28%
NCZ001	469	470	1.00	0.09	0.11	0.02	2.7	0.106	0.18%
NCZ001	470	471	1.00	0.19	0.05	0.01	1.1	0.007	0.21%
NCZ001	471	472	1.00	0.16	0.03	0.01	1.8	0.039	0.19%
NCZ001	472	473	1.00	0.07	0.10	0.03	2.1	0.021	0.12%
NCZ001	473	474	1.00	0.19	0.09	0.04	3.4	0.119	0.28%
NCZ001	474	475	1.00	0.38	0.13	0.04	2.2	0.063	0.43%
NCZ001	475	476	1.00	0.18	0.08	0.01	1.5	0.037	0.22%
NCZ001	476	477	1.00	0.07	0.03	0.00	<0.5	0.011	0.08%
NCZ001	477	478	1.00	0.20	0.03	0.01	1.1	0.017	0.21%
NCZ001	478	479	1.00	0.08	0.04	0.01	0.5	<0.005	0.09%
NCZ001	479	480	1.00	0.03	0.02	0.01	<0.5	0.007	0.04%
NCZ001	480	481	1.00	0.01	0.03	0.00	<0.5	<0.005	0.01%
NCZ001	481	482	1.00	0.01	0.04	0.01	0.8	0.007	0.03%
NCZ001	482	483	1.00	0.03	0.04	0.05	0.8	0.042	0.07%
NCZ001	483	484	1.00	0.09	0.08	0.06	1.3	0.015	0.14%
NCZ001	484	485	1.00	0.06	0.01	0.00	<0.5	0.011	0.07%
NCZ001	485	486	1.00	0.13	0.55	0.30	1.7	0.019	0.36%
NCZ001	486	487	1.00	0.05	0.06	0.01	0.7	0.026	0.09%
NCZ001	487	488	1.00	0.01	0.01	0.01	<0.5	0.036	0.03%
NCZ001	488	489	1.00	0.01	0.10	0.17	0.7	0.029	0.09%
NCZ001	489	490	1.00	0.05	0.01	0.00	0.6	0.03	0.07%
NCZ001	490	491	1.00	0.00	0.03	0.00	<0.5	0.009	0.02%
NCZ001	491	492	1.00	0.10	0.04	0.01	0.7	0.019	0.12%
NCZ001	492	493	1.00	0.00	0.04	0.02	0.6	0.019	0.03%
NCZ001	493	494	1.00	0.08	2.10	0.75	3.4	0.022	0.85%
NCZ001	494	495	1.00	0.01	0.01	0.00	<0.5	<0.005	0.01%
NCZ001	495	496	1.00	0.01	0.02	0.00	<0.5	0.005	0.02%
NCZ001	496	497	1.00	0.03	0.01	0.01	0.5	0.072	0.07%
NCZ001	497	498	1.00	0.24	0.03	0.02	2.1	0.188	0.33%
NCZ001	498	499	1.00	0.20	0.04	0.03	1.3	0.052	0.23%
NCZ001	499	500	1.00	0.06	0.01	0.01	0.5	0.016	0.07%
NCZ001	500	501	1.00	0.12	0.02	0.01	0.6	0.021	0.13%
NCZ001	501	502	1.00	0.11	0.07	0.02	1.6	0.093	0.17%
NCZ001	502	503	1.00	0.08	0.34	0.08	2.2	0.096	0.24%
NCZ001	503	504	1.00	0.23	0.69	0.12	4.2	0.127	0.51%
NCZ001	504	505	1.00	0.11	0.81	0.13	5.3	0.187	0.47%
NCZ001	505	506	1.00	0.22	0.57	0.08	9.5	0.266	0.55%
NCZ001	506	507	1.00	0.64	0.20	0.02	4.3	0.19	0.76%
NCZ001	507	508	1.00	0.23	0.38	0.06	4.1	0.216	0.45%
NCZ001	508	509	1.00	0.22	0.54	0.12	6.2	0.235	0.52%
NCZ001	509	510	1.00	0.27	1.11	0.24	5.8	0.266	0.76%
NCZ001	510	511	1.00	0.41	1.28	0.37	8.1	0.425	1.04%
NCZ001	511	512	1.00	1.19	7.34	3.19	21.3	0.782	4.27%
NCZ001	512	513	1.00	2.50	2.07	0.54	30.2	1.41	3.78%

NCZ001	513	514	1.00	0.45	0.06	0.07	3.3	0.082	0.51%
NCZ001	514	515	1.00	0.01	0.01	0.00	<0.5	0.008	0.02%
NCZ001	515	516	1.00	0.01	0.01	0.00	<0.5	<0.005	0.01%
NCZ001	516	517	1.00	0.14	0.07	0.06	0.6	0.006	0.17%
NCZ001	517	518	1.00	0.05	0.22	0.03	0.7	0.016	0.12%
NCZ001	518	519	1.00	0.02	0.06	0.02	0.6	0.01	0.05%
NCZ001	519	520	1.00	0.07	0.01	0.00	<0.5	0.006	0.07%
NCZ001	520	521	1.00	0.02	0.01	0.00	<0.5	0.006	0.03%
NCZ001	521	522	1.00	0.01	0.01	0.00	<0.5	0.005	0.01%
NCZ001	522	523	1.00	1.80	0.03	0.05	5.6	0.029	1.74%
NCZ001	523	524	1.00	0.00	0.01	0.00	<0.5	<0.005	0.01%
NCZ001	524	525	1.00	0.00	0.01	0.00	<0.5	<0.005	0.00%
NCZ001	525	526	1.00	0.21	0.02	0.01	1.0	0.011	0.22%
NCZ001	526	527	1.00	1.23	0.02	0.01	4.3	0.022	1.18%
NCZ001	527	528	1.00	0.21	0.04	0.02	1.8	0.041	0.24%
NCZ001	528	529	1.00	0.01	0.08	0.16	1.1	0.011	0.08%
NCZ001	529	530	1.00	0.28	0.02	0.02	1.0	0.008	0.28%
NCZ001	530	531	1.00	0.01	0.05	0.01	<0.5	0.29	0.14%
NCZ001	531	532	1.00	0.01	0.01	0.00	<0.5	<0.005	0.01%
NCZ001	532	533	1.00	0.01	0.01	0.00	<0.5	0.005	0.01%
NCZ001	533	534	1.00	0.01	0.35	0.59	4.5	0.021	0.25%
NCZ001	534	535	1.00	0.00	0.01	0.01	<0.5	0.005	0.01%
NCZ001	535	536	1.00	0.00	0.01	0.00	<0.5	0.013	0.01%
NCZ001	536	537	1.00	0.06	0.01	0.00	<0.5	<0.005	0.06%
NCZ001	537	538	1.00	0.24	0.11	0.02	0.7	0.027	0.28%
NCZ001	538	539	1.00	0.00	0.02	0.00	<0.5	0.02	0.02%
NCZ001	539	540	1.00	0.04	0.01	0.01	0.8	0.032	0.06%
NCZ001	540	541	1.00	0.01	0.01	0.00	<0.5	<0.005	0.01%
NCZ001	541	542	1.00	0.01	0.01	0.00	<0.5	<0.005	0.01%
NCZ001	542	543	1.00	0.02	0.01	0.00	<0.5	<0.005	0.02%
NCZ001	543	544	1.00	0.06	0.01	0.00	<0.5	<0.005	0.06%
NCZ001	544	545	1.00	0.00	0.01	0.00	<0.5	<0.005	0.01%
NCZ001	545	546	1.00	0.00	0.01	0.00	<0.5	<0.005	0.01%
NCZ001	546	547	1.00	0.00	0.03	0.01	<0.5	<0.005	0.01%
NCZ001	547	548	1.00	0.07	0.02	0.01	0.7	<0.005	0.08%
NCZ001	548	549	1.00	0.04	0.02	0.00	<0.5	<0.005	0.04%
NCZ001	549	550	1.00	0.04	0.01	0.00	<0.5	<0.005	0.04%
NCZ001	550	551	1.00	0.10	0.01	0.00	<0.5	<0.005	0.10%
NCZ001	551	552	1.00	0.00	0.01	0.00	<0.5	<0.005	0.00%
NCZ001	552	553	1.00	0.10	0.02	0.01	1.1	<0.005	0.11%
NCZ001	553	554	1.00	0.21	0.01	0.01	2.0	<0.005	0.22%
NCZ001	554	555	1.00	0.08	0.01	0.00	<0.5	<0.005	0.08%
NCZ001	555	556	1.00	0.48	0.01	0.01	1.4	<0.005	0.46%
NCZ001	556	557	1.00	0.29	0.01	0.00	0.6	<0.005	0.28%
NCZ001	557	558	1.00	0.00	0.01	0.00	<0.5	<0.005	0.01%
NCZ001	558	559	1.00	0.13	0.04	0.04	<0.5	<0.005	0.14%
NCZ001	559	560	1.00	1.82	0.02	0.01	2.8	<0.005	1.71%
NCZ001	560	561	1.00	0.32	0.01	0.00	<0.5	0.009	0.31%
NCZ001	561	562	1.00	0.49	0.02	0.01	1.7	0.02	0.48%

NCZ001	562	563	1.00	1.98	0.03	0.01	3.7	0.021	1.88%
NCZ001	563	564	1.00	2.77	0.02	0.01	3.3	0.023	2.61%
NCZ001	564	565	1.00	3.43	0.02	0.01	4.0	0.045	3.24%
NCZ001	565	566	1.00	1.02	0.02	0.01	1.8	0.016	0.97%
NCZ001	566	567	1.00	0.35	0.03	0.01	1.3	0.015	0.35%
NCZ001	567	568	1.00	0.02	0.02	0.01	0.5	0.01	0.04%
NCZ001	568	569	1.00	0.37	0.06	0.02	1.4	0.031	0.39%
NCZ001	569	570	1.00	5.83	0.04	0.04	5.6	0.042	5.49%
NCZ001	570	571	1.00	6.81	0.02	0.00	6.4	0.033	6.39%
NCZ001	571	572	1.00	2.82	0.01	0.00	2.4	0.018	2.65%
NCZ001	572	573	1.00	5.46	0.01	0.00	4.8	0.026	5.12%
NCZ001	573	574	1.00	1.21	2.08	0.84	3.1	0.029	1.91%
NCZ001	574	575	1.00	0.77	0.02	0.02	1.0	0.008	0.73%
NCZ001	575	576	1.00	1.95	1.90	0.68	3.6	0.022	2.52%
NCZ001	576	577	1.00	2.34	11.35	4.67	14.5	0.141	6.47%
NCZ001	577	578	1.00	3.29	4.19	1.67	8.6	0.207	4.72%
NCZ001	578	579	1.00	2.44	14.50	6.51	11.4	0.083	7.78%
NCZ001	579	580	1.00	3.27	18.45	9.66	13.3	0.075	10.29%
NCZ001	580	581	1.00	1.45	8.70	5.08	5.8	0.036	4.86%
NCZ001	581	582	1.00	0.03	0.04	0.02	0.7	0.01	0.05%
NCZ001	582	583	1.00	0.01	0.04	0.02	0.6	0.008	0.03%
NCZ001	583	584	1.00	0.01	0.02	0.00	<0.5	0.005	0.02%
NCZ001	584	585	1.00	0.02	0.02	0.00	<0.5	0.013	0.03%
NCZ001	585	586	1.00	0.40	2.43	1.42	7.7	0.012	1.40%
NCZ001	586	587	1.00	0.00	0.01	0.00	<0.5	<0.005	0.01%
NCZ001	587	588	1.00	0.00	0.01	0.00	<0.5	<0.005	0.00%
NCZ001	588	589	1.00	0.00	0.01	0.00	<0.5	<0.005	0.00%
NCZ001	589	590	1.00	0.01	0.01	0.00	<0.5	<0.005	0.01%
NCZ001	590	591	1.00	0.00	0.02	0.01	<0.5	<0.005	0.01%
NCZ001	591	592	1.00	0.00	0.00	0.00	<0.5	<0.005	0.00%
NCZ001	592	593	1.00	0.00	0.01	0.00	<0.5	<0.005	0.01%
NCZ001	593	594	1.00	0.00	0.02	0.00	<0.5	<0.005	0.01%
NCZ001	594	595	1.00	0.00	0.02	0.00	<0.5	<0.005	0.01%
NCZ001	595	596	1.00	0.00	0.02	0.00	<0.5	<0.005	0.01%
NCZ001	596	597	1.00	0.00	0.02	0.00	<0.5	<0.005	0.01%
NCZ001	597	598	1.00	0.00	0.02	0.00	<0.5	<0.005	0.01%
NCZ001	598	599	1.00	0.00	0.02	0.00	<0.5	<0.005	0.01%
NCZ001	599	600	1.00	0.00	0.02	0.00	<0.5	<0.005	0.00%
NCZ001	600	601	1.00	0.00	0.01	0.00	<0.5	<0.005	0.00%
NCZ001	601	602	1.00	0.00	0.02	0.00	<0.5	<0.005	0.00%
NCZ001	602	603	1.00	0.00	0.01	0.00	<0.5	<0.005	0.00%
NCZ001	603	604	1.00	0.00	0.01	0.00	<0.5	<0.005	0.00%
NCZ001	604	605	1.00	0.01	0.02	0.00	<0.5	<0.005	0.01%
NCZ001	605	606	1.00	0.00	0.02	0.00	<0.5	<0.005	0.01%
NCZ001	606	607	1.00	0.01	0.01	0.00	<0.5	<0.005	0.01%
NCZ001	607	608	1.00	0.16	0.01	0.00	<0.5	<0.005	0.15%
NCZ001	608	609	1.00	0.01	0.01	0.00	<0.5	<0.005	0.01%
NCZ001	609	610	1.00	0.00	0.02	0.00	<0.5	<0.005	0.01%
NCZ001	610	611	1.00	0.10	0.02	0.00	<0.5	<0.005	0.10%

NCZ001	611	612	1.00	0.33	0.02	0.00	<0.5	<0.005	0.31%
NCZ001	612	613	1.00	0.58	0.03	0.02	0.5	<0.005	0.55%
NCZ001	613	614	1.00	0.54	0.02	0.01	<0.5	<0.005	0.51%
NCZ001	614	615	1.00	0.04	0.01	0.00	<0.5	<0.005	0.04%
NCZ001	615	616	1.00	0.05	0.00	0.00	<0.5	<0.005	0.04%
Total			276.40						

* Copper Equivalent (CuEq %) = Cu grade % * Cu Recovery + (Zn grade % * Zn Recovery * (Zn price \$/t /Cu price \$/t)) + (Pb grade % * Pb Recovery * (Pb price \$/t /Cu price \$/t)) + (Ag grade g/t / 31.103 * Ag recovery * (Ag price \$/oz /Cu price \$/t)) + (Au grade g/t / 31.103 * Au recovery * (Au price \$/oz /Cu price \$/t))

Zn equivalent calculated using following commodity prices: Zn – US\$3350/t, Cu – US\$9523/t, Pb – US\$2292/t, Ag – US\$25.50/oz & Au – US\$1850/oz

Zn Equivalent calculated using following recovery assumptions for Northern Copper Zone: Zn – 82%, Cu – 93%, Pb – 78%, Ag – 72% & Au - 65%

Sample analysis and QA/QC

All samples generated from the drilling were dispatched to ALS Loughrea, Ireland.

Samples were analysed for multi-element data analysis using their ME-ICP61 package, which includes Ag, Cu, Pb and Zn. The samples were also assayed for gold using their Au-AA23 analysis package. Overlimit assays were then analysed using their Ag-OG62, Cu-OG62, Pb-OG62, Zn-OG62 and ME-OG62 analysis packages.

For QA/QC purposes, Anglesey Mining used the industry standard of inserting 5% Certified Reference Material (CRM) samples, 2.5% Certified Blank Samples (Blanks) and 5% duplicate samples at source. The CRMs were sourced from Geostats Pty Ltd, Ore Research & Exploration Pty Ltd, OREAS and Natural Resources Canada.

Competent Person

The information in this announcement which relates to Drilling Results has been approved by Mrs. Liz de Klerk, M.Sc., Pr.Sci.Nat., FIMMM who is a professional registered with the South African Council for Natural Scientific Professionals (SACNASP: 400090/08) and independent consultant to the Company. Mrs. de Klerk is the Senior Geologist & Managing Director of Micon International Co Limited and has over 20 continuous years of exploration and mining experience in a variety of mineral deposit styles. Mrs. de Klerk has sufficient experience which is relevant to the style of exploration, mineralisation and type of deposit under consideration and to the activity which she is undertaking to qualify as a Competent Person as defined in the 2012 Edition of the "Australasian Code for reporting of Exploration Results, Exploration Targets, Mineral Resources and Ore Reserves" (JORC Code). Mrs. de Klerk consents to inclusion in the announcement of the matters based on this information in the form and context in which it appears.

About Anglesey Mining plc

Anglesey Mining is traded on the AIM market of the London Stock Exchange and currently has 420,093,017 ordinary shares on issue.

Anglesey is developing its 100% owned Parys Mountain Cu-Zn-Pb-Ag-Au deposit in North Wales, UK with a reported resource of 5.3 million tonnes at over 4.0% combined base metals in the Measured and Indicated categories and 10.8 million tonnes at over 2.5% combined base metals in the Inferred category.

Anglesey also holds a 49.75% interest in the Grängesberg Iron project in Sweden, together with management rights. Anglesey also holds 12% of Labrador Iron Mines Holdings Limited, which through its 52% owned subsidiaries, is engaged in the exploration and development of direct shipping iron ore deposits in Labrador and Quebec.

For further information, please contact:

Anglesey Mining plc

Andrew King, Interim-Chairman – Tel: +44 (0)7825 963700

Jo Battershill, Non-Executive Director – Tel: +44 (0)7540 366000

Davy

Nominated Adviser & Joint Corporate Broker

Brian Garrahy / Daragh O'Reilly – Tel: +353 1 679 6363

WH Ireland

Joint Corporate Broker

Katy Mitchell / Harry Ansell – Tel: +44 (0) 207 220 1666

LEI: 213800X8BO8EK2B4HQ71